

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	28	inspect\$5 near2 coiled near tub\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:00


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((coil* and tubing and inspection)<in>metadata)"

[e-mail](#)

Your search matched 6 of 1239820 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

>>

☐ Check to search only within this results set

» Key

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

- ☐ 1. **Validation of a coil impedance model for simultaneous measurement of e properties and inner diameter of a conductive tube**
 Vasic, D.; Bilas, V.; Ambrus, D.;
 Instrumentation and Measurement Technology Conference, 2004. IMTC 04. Pt. 21st IEEE
 Volume 2, 18-20 May 2004 Page(s):1406 - 1409 Vol.2
 Digital Object Identifier 10.1109/IMTC.2004.1351329
[AbstractPlus](#) | Full Text: [PDF](#)(332 KB) IEEE CNF
- ☐ 2. **Remote field eddy current inspection**
 Atherton, D.L.;
 Magnetism, IEEE Transactions on
 Volume 31, Issue 6, Part 2, Nov. 1995 Page(s):4142 - 4147
 Digital Object Identifier 10.1109/20.489888
[AbstractPlus](#) | Full Text: [PDF](#)(684 KB) IEEE JNL
- ☐ 3. **Fundamental analysis of the remote-field eddy-current effect**
 Haugland, S.M.;
 Magnetism, IEEE Transactions on
 Volume 32, Issue 4, Part 2, July 1996 Page(s):3195 - 3211
 Digital Object Identifier 10.1109/20.508383
[AbstractPlus](#) | Full Text: [PDF](#)(996 KB) IEEE JNL
- ☐ 4. **Finite element modeling of conducting shells for eddy current NDE problems: "Impedance-type" interface conditions**
 Badics, Z.; Matsumoto, Y.; Kojima, S.; Usui, Y.; Aoki, K.; Nakayasu, F.;
 Magnetism, IEEE Transactions on
 Volume 33, Issue 2, Part 2, March 1997 Page(s):1334 - 1337
 Digital Object Identifier 10.1109/20.582502
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(364 KB) IEEE JNL
- ☐ 5. **Novel method for CRT display ITC measurement**
 Chuang, C.; Hong, R.; Tsai, J.;
 Information Display, 1999. ASID '99. Proceedings of the 5th Asian Symposium
 17-19 March 1999 Page(s):239 - 243
 Digital Object Identifier 10.1109/ASID.1999.762754
[AbstractPlus](#) | Full Text: [PDF](#)(448 KB) IEEE CNF

**6. Pre-processing of signals delivered by a new eddy current sensor for non-destructive testing**

Miller, D.; Placko, D.;

Instrumentation and Measurement Technology Conference, 1996. IMTC-96. C
Proceedings. 'Quality Measurements: The Indispensable Bridge between Theory and Practice'
IEEE

Volume 2, 1996 Page(s):1469 - 1474 vol.2

Digital Object Identifier 10.1109/IMTC.1996.507614

[AbstractPlus](#) | Full Text: [PDF](#)(376 KB) IEEE CNF[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2005 IEEE ..

indexed by
 Inspec®

Find: [Documents](#)[Citations](#)Searching for PHRASE **coil tubing inspection**.Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

No documents match Boolean query. Trying non-Boolean relevance query.

500 documents found. Order: relevance to query.

[A Hydrodynamic Simulation of Cluster Formation - Greg Bryan \(Correct\)](#)exhibit this behaviour. However, a visual **inspection** shows many large temperature inversions which detected by the simple method described above. **Inspection** of the time evolution of a number of clusters
zeus.ncsa.uiuc.edu/gc3/P038/P038.ps[Query Language For Research In Phonetics - Ulrich Heid \(Correct\)](#)for the reading and writing, annotation and **inspection**, query and retrieval of data in this format. in itself, but is an investment for later **inspection** and analysis of the data. In Description databases, the query language can be used for **inspection** of the data: selective retrieval makes it
mate.mip.ou.dk/information/0194.ps[Non-Gaussian statistics in space plasma turbulence.. - de Wit, Krasnosel'skikh \(1996\) \(Correct\)](#)signature of a multifractal process, a deeper **inspection** reveals caveats in such an interpretation. and Krasnosel'skikh, 1995) Thus, a qualitative **inspection** of the structure functions in Fig. 6 isn't
www.cpt.univ-mrs.fr/~ddwit/articles/pitfall.ps.gz[A Supersymmetric Model for the Evolution of the Genetic Code - Bashford, Tsohantjis.. \(1999\) \(Correct\)](#)
(3 citations)of codons which code for a given amino acid. **Inspection** of the eukaryotic code of Table 1, shows that described algebraically. As mentioned above, **inspection** of the EC and VMC shows that it is natural to
www.physics.adelaide.edu.au/~jbashfor/dnapnas1.ps[Refine "Refine" - Bailes, Chapman, Peake \(Correct\)](#)have to remain available (persist"for human **inspection** in order to determine what operations to structures are not available for operator **inspection**. 6 Difficulty implies Expressiveness
www.it.uq.edu.au/csm/pubs/refine-refine.ps.gz[Representations and Solutions for Game-Theoretic Problems - Koller, Pfeffer \(1997\) \(Correct\) \(27 citations\)](#)of these are popular recreational games. The **inspection** game is used by game theorists to model arms is used by game theorists to model arms control **inspections** it is described in Section 3.5. The OPEC game Imperfect information No chance Chess Go **Inspection** game Battleships Chance Backgammon Monopoly
robotics.stanford.edu/~avi/papers/galapaper.ps[Development of a Predictive Optimal Controller for Thermal.. - Gregor Henze \(1996\) \(Correct\)](#)case of a popular ice storage system (ice-on-coil with internal melt) has been investigated in a
civil.colorado.edu/~dodier/papers/impl.ps[A Selection Of Recent Cleo Results: - Physics Silicon Detector \(1998\) \(Correct\)](#)Reservoir Muon Chambers Magnet Yoke Superconducting **Coil** Barrel Shower Detector Drift Chamber Micro-Beta
www.slac.stanford.edu/gen/meeting/ssi/1998/media/briere.ps.gz[Task-Specific Neural Activity in the Primate Prefrontal Cortex - Asaad, Rainer, Miller \(2000\) \(Correct\)](#)
(1 citation)chambers. One animal was implanted with an eye-coil to monitor eye movements (Robinson 1963) while an
www.ai.mit.edu/people/ekm/Asaad_JN_2000.pdf[Combining Neural Networks for Protein Secondary Structure Prediction - Riis \(1995\) \(Correct\)](#)the three main categories ff-helix, fi-strand and coil. A lot of interesting work has been done on
eivind.imm.dtu.dk/dist/1995/riis.icnn95.ps.Z[Search for High Mass Photon Pairs in - Collisions At \(Correct\)](#)

for photon/0 in the 1 radiation length of the coil. The presence of a conversion is detected using www-cdf.fnal.gov/physics/conf98/cdf4648_ichep98_gammagamma.ps.

Design of 100 MW, Two-Cavity Gyrokystrons for Accelerator.. - Calame Lawson Cheng (Correct)
within an existing set of seven water cool pancake coils. These coils, plus an additional large coil circuits employ coaxial cavities and drift tubes to limit spurious oscillations and cavity
www.aps.anl.gov/conferences/mirrored/www.cern.ch/accelconf/p95/ARTICLES/TAQ/TAQ18.PDF

Tertiary Storage Technologies - Fundamental (Correct)
a current proportional to an input signal in the coil of an inductive write head this current induces
www.cc.gatech.edu/fac/Ann.Chervenak/8113/readings/tertiary.ps.Z

Shape Design with Great Geometrical Deformations.. - Brandstätter.. (Correct)
magnets. The magnetic field is exited by a coil This work was supported by the Austrian "Fonds
www.kfunigraz.ac.at/imawww/ring/comp01.ps

Automatic Segmentation of Rodent Brain MRI Scans in a.. - Young Dowling Hockingsy (Correct)
volume, we derive B*3 Preprocessing The single coil, T2 weighted MRI scanning technique used,
www.soi.city.ac.uk/homes/sa326/papers/paperaccv.ps

A Constraint On Vtd/Vts from B - Ae FI (1994) (Correct)
but still inside the superconducting magnetic coil is an electromagnetic calorimeter consisting of
w4.lns.cornell.edu/public/CONF/1994/CONF94-2.ps

Stochastic Parallel Model Adaptation: Theory and Applications.. - Ren, Kumar (Correct)
whose output $u(t)$ is the current in the loudspeaker coil. P (q Gamma1 which is unknown, but stable,
black.csl.uiuc.edu/~prkumar/parallel.ps

Retrieving Reusable Design Cases - Exploiting Adaptation (Correct)
loading or unloading of, in this case, spools or coils of steel within a steel-mill environment. Using a
ftp.cs.tcd.ie/pub/tcd/tech-reports/reports.94/TCD-CS-94-15.ps.gz

Simon Parsons - Advanced Computation (Correct)
For parallel pairs of fi-strands, fi-ff-fi and fi-coil-fi connections are right handed. ffl C2. The
ftp.elec.qmw.ac.uk/pub/isag/uncertainty/publications/parsons/conferences/ismb95.ps.Z


Mixed Integer-Discrete-Continuous Optimization By Differential .. - Lampinen, al. (Correct)
design related numerical example, design of a coil spring, is given to illustrate the capabilities
to fix a structure, the number of heat exchanger tubes, the number of cooling fins of a heat sink, the
www.lut.fi/~jlampine/MEND99p1.ps

First 20 documents [Next 20](#)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)

[Web](#)
[Images](#)
[Groups](#)
[News](#)
[Froogle](#)
[Local](#)
[more »](#)



[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 275,000 for **coiled tubing inspection image**. (0.67 seconds)Tip: Looking for pictures? Try [Google Images](#)

Sponsored Links

Product search results for **coiled tubing inspection image**

"1884 BARR Gas Tube Connectors Patent 7728" - \$12.99 - Vintage-reprints.com

Pipe & Sewer Inspection

Pipe, sewer & manhole inspection cameras, accessories & service.
www.Envirosight.com

Patent Detail**A COILED TUBING INSPECTION SYSTEM USING IMAGE PATTERN**

RECOGNITION Application Number: 2003058545 Inventor: Applicant:

HALLIBURTON ENERGY SERVICES, INC. ...

search.globalspec.com/.../1864547148/A_COILED_TUBING_INSPECTION_SYSTEM_USING_IMAGE_PATTERN_RECOGNITION - 16k

- Cached - Similar pages

TU-CTMRC | Tour the Lab >> Coiled Tubing Inspection System

Coiled Tubing Image Gallery ... Take a tour of the TU-CTMRC Inspection System

Coiled Tubing Inspection System. This system consists of the following ...

www.coiledtubingutulsa.org/ct_inspection_system.html - 18k -

- Cached - Similar pages

TU-CTMRC | Tour the Lab >> Coiled Tubing Inspection Unit, Image 2

TU-CTMRC Lab: **Coiled Tubing Bench Top Inspection System. Coiled Tubing**

Inspection Unit, Image 2 Bench Top Unit. To Next Image >>

www.coiledtubingutulsa.org/tu_ctmrc_bench_top_unit_2.html - 2k -

- Cached - Similar pages

[More results from www.coiledtubingutulsa.org]

Coiled Tubing Inspection

Onsite **coiled tubing inspection** with high resolution MFL tool. Real time monitoring ensures safe and cost effective (undisturbed) operations.

[www.roseninspection.net/RosenInternet/](http://www.roseninspection.net/RosenInternet/InspectionServices/PlantFacility/CoiledTubingInspection/)

[InspectionServices/PlantFacility/CoiledTubingInspection/](http://www.roseninspection.net/RosenInternet/InspectionServices/PlantFacility/CoiledTubingInspection/) - 40k -

- Cached - Similar pages

Plant & Facility Inspection

The system is designed to **inspect coiled tubing** as it is spooled from a storing reel on to a working reel ... **ROSEN Tank Inspection Coiled Tubing Inspection** ...

www.roseninspection.net/RosenInternet/InspectionServices/PlantFacility/ - 43k -

- Cached - Similar pages

[More results from www.roseninspection.net]

Offshore Technology - Pipeline Inspection and Maintenance Image ...

Pipeline Inspection and Maintenance Image Gallery. ... Automatic **Coiled Tubing**

Integrity Monitoring (ACIM) inspection in operation on location. ...

www.offshore-technology.com/contractors/pipeline_inspec/gallery.html - 16k -

- Cached - Similar pages

Offshore Technology - Processing, Separation, Filtration and Water ...

Processing, Separation, Filtration and Water Treatment Image Gallery. ... while having a full **tubing bore** without wireline or **coiled tubing** interventions. ...

www.offshore-technology.com/contractors/separation/gallery.html - 33k -

- Cached - Similar pages

Casing Inspection

Casing Inspection MITview image The productive life of an oil well can be reduced ...

Tool deployment can be via slickline, electric line, **coiled tubing** or ...

www.sondex.co.uk/products/casing_inspection.php - 14k - Cached - Similar pages

Infolytica » Gallery » WFNDEC Benchmark #2 - Eddy Current ...


A longitudinal cross-section of the **tube** under **inspection** showing the ... Plot of the eddy current distribution in the **tube** as the coil scans the defect. ...

www.infolytica.com/en/cooistuff/ex0115/ - 19k - Cached - Similar pages

JPT (May 2005): Technology Applications

This custom camera, which makes it possible to inspect pipelines, risers, and caissons ... 4—AnTech Ltd.'s COLT coiled-tubing-drilling bottomhole assembly. ...
www.spe.org/spe/jpt/jsp/jptmonthlysection/
0,2440,1104_11038_3982454_3982860,00.html - 24k - Cached - Similar pages

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#) [Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Hurricane Resources](#) - [About Google](#)

©2005 Google